



ECG



CATALOGUE
2013/2014







CONSUMER ELECTRONICS


8-9	LED TVS
10	LED TVS WITH DVD
10	PORTABLE LCD TVS
11	DVB-T RECEIVERS
12	SMART DEVICE
13	PORTABLE DVD
14	CD MICROSYSTEMS
15	DVD MICROSYSTEMS
15	BLUETOOTH SPEAKERS
16	PORTABLE RADIO/CD PLAYERS
17	PORTABLE RADIO
18	CAR MULTIMEDIA
19	PHOTO FRAMES
20-21	WEATHER STATIONS
22	ALARM CLOCKS
23-24	ANTENNAS
25-26	LED/LCD HOLDERS
26	CLEANING KIT
27	A/V CABELS
28-29	EXTENSION CORDS

SMALL DOMESTIC APPLIANCES

32-35	KETTLES
35	BREAD MAKER
36	MULTIFUNCTION POTS
37-38	SANDWICH MAKERS
39	TOASTERS
40-41	FOOD PROCESSORS
42	STICK MIXERS
43	HAND MIXERS
44	FRUIT DEHYDRATOR
44	RICE COOKER
45	INDUCTION HOBS
46	GRILLS
48-49	BATHROOM SCALES
50-51	KITCHEN SCALES
52	TOUCH-FREE DISPENSERS
53	TOUCH-FREE WASTE BINS
54	FOOT MASSAGERS
54	HAIR DRYER
55	HOT AIR STYLERS
56	HAIR STRAIGHTENERS
57-58	STEAM IRONS
59	HANDHELD VACUUM CLEANER
60	VACUUM CLEANERS
61-62	HEATERS
63	CAR COOL BOXES
64	AIR CONDITIONER
64-65	FANS

FREESTANDING AND BUILT-IN APPLIANCES

68-70	REFRIGERATORS AND FREEZERS
71	WASHING MACHINES
72	BUILT-IN DISHWASHERS
73	FREE STANDING DISHWASHERS
74	BUILT-IN OVENS
75	BI MICROWAVE OVEN
76-77	HOODS
78	HOBS
79-81	MICROWAVE OVENS
81	ELECTRIC OVENS
82-83	TECHNICAL DRAWINGS
84-85	LOGISTICS TABLE





CONSUMER ELECTRONICS

EXCEPTIONALLY SHARP IMAGE

32 LED 612 PVR

LED TV 32" (81 cm) • resolution of 1366 × 768 • contrast 800:1
(static) • HD DVB-T MPEG 4 • recording USB drive/multimedia menu •
sound output 2 × 8 W • connectors: 2 × HDMI, USB, SCART, VGA,
headphone output • VESA 100 × 100 • energy class B



HDDVB-T

2x HDMI



PVR

NEW



24 LED 612 PVR

LED TV • 24" (60 cm) • 1920 × 1080 resolution • 1000:1 contrast (static) • HD DVB-T MPEG 4 • recording USB drive/multimedia • 2 × 3 W • connectors: 2 × HDMI, USB, SCART, YPbPr, AV In, VGA, PC audio In, headphone output • VESA 100 × 100 • energy class B



Full HD 1080p **HD DVB-T** **2 × HDMI** **USB** **PVR**

22 LED 612 PVR

LED TV • 22" (56 cm) • 1920 × 1080 resolution • 800:1 contrast • HD DVB-T MPEG 4 • recording USB drive/multimedia • 2 × 3 W • connectors: 2 × HDMI, USB, SCART, YPbPr, AV In, VGA, PC audio In, headphone output • VESA 100 × 100 • energy class B



Full HD 1080p **HD DVB-T** **2 × HDMI** **USB** **PVR**

19 LED 612 PVR

LED TV • 19" (48 cm) • 1366 × 768 resolution • 1000:1 (static) • HD DVB-T MPEG 4 • recording USB drive/multimedia • 2 × 3 W • connectors: 2 × HDMI, SCART, YPbPr, AV In, VGA, PC audio In, headphone output option • VESA 100 × 100 • energy class B



Full HD 1080p **HD DVB-T** **2 × HDMI** **USB** **PVR**



24 LED 610 DPVR

LED TV • 24" (60 cm) • 1920 × 1080 resolution • 800:1 contrast • DVB-T MPEG-2 • recording USB drive/multimedia • 2 × 3 W • connectors: 2 × HDMI, USB, SCART, YPbPr, AV In, VGA, PC Audio In, headphone output • VESA 100 × 100 • energy class B



22 LED 610 DPVR

LED TV • 22" (56 cm) • 1366 × 768 resolution • 1000:1 (static) • DVB-T MPEG 2 • recording USB drive/multimedia • 2 × 3 W • connectors: 2 × HDMI, SCART, YPbPr, AV In, VGA, PC Audio In, headphone output option • VESA 100 × 100 • energy class B



PORTABLE LCD TVs

TVP 9040 HD PVR

Portable LCD TV • diagonal 9" (25 cm) • DVB-T MPEG4 • USB/SD • sound output 2 × 2 W • connections: AV input/output (3,5 mm), headphone • internal 1 600 mAh battery (battery life up to 2 hours) • accessories: AC adapter, car adapter 12 V, AV cable, remote control



TVP 7920 DVB-T

Portable LCD TV • diagonal 7" (18 cm) • DVB-T MPEG 4 • USB/SD • 2 × 1 W • connections: AV input/output (3,5 mm), headphone • internal 1 600 mAh battery (battery life up to 2 hours) • accessories: AC adapter, car adapter 12 V, AV cable, remote control



DVT 1350 HD PVR

HD DVB-T receiver with recording • compatible with MPEG-2/4 recording • USB drive/multimedia • TIMESHIFT function • ENG menu and EPG • connectors: HDMI, 2 × SCART, aerial input and output, digital coaxial output



HD DVB-T **TIME SHIFT** **USB** **PVR** **2× SCART**

DVT 970 HD PVR

HD DVB-T receiver with recording • compatible with MPEG-2/4 recording • USB drive/multimedia • TIMESHIFT function • ENG menu and EPG • connectors: HDMI, SCART, aerial input, digital coaxial output



HD DVB-T **TIME SHIFT** **USB** **PVR** **SCART**

DVT 960 PVR

DVB-T receiver with recording • compatible with MPEG-2 recording • USB drive/multimedia • TIMESHIFT function menus and EPG • connectors: 2 × SCART, aerial input and output, digital coaxial output



DVB-T **TIME SHIFT** **USB** **PVR** **SCART**

DVT 860

DVB-T receiver • compatible with MPEG-2 • USB input/multimedia • connections: SCART, ANT in/loop • EPG menu and a digital coaxial output



DVB-T **USB** **SCART**

HALLMARK OF EXCELLENCE

RAPID 7

Dual-core processor 1,2 GHz (up to 1,5 GHz) with GPU • memory 512 MB RAM DDR3 • 8 GB of internal flash memory • microSD cards (max. 32 GB) • display 7.0" TFT LCD (800 × 480) capacitive touch screen • HDMI • Wi-Fi IEEE 802.11 b/g/n • 3,5 mm headphone jack • USB 2.0 front camera (0.3 MP) • speaker 1 × 1 W • operating system Android™ 4.1 • Li-Polymer battery 2 400 mAh • AC adapter (5 V DC 1,5 A) • play time up to 6 hours

DUAL CORE 1,2 GHz 512 MB  8 GB





DVP 7708 RED

Portable DVD player • diagonal 7" (18 cm) • TFT LCD with 270° rotation • plays DVD±R/RW, CD-R/RW, MP3, WMA, JPEG, VCD, SVCD menu • GB ports: AV out, coaxial out built-in speakers • Li-on battery • accessories: AC adapter, car adapter 12 V, AV cable, carrying case



DVP 7709 WHITE

Portable DVD player • diagonal 7" (18 cm) • TFT LCD with 270° rotation • plays DVD±R/RW, CD-R/RW, MP3, WMA, JPEG, VCD, SVCD menu • GB ports: AV out, coaxial out built-in speakers • 1 200 mAh Li-on battery • accessories: AC adapter, car adapter 12 V, AV cable, carrying case

DVP 9709 BLACK

Portable DVD player • diagonal 9" (23 cm) • TFT LCD with 270° rotation • plays DVD±R/RW, CD-R/RW, MP3, WMA, JPEG, VCD, SVCD menu • GB ports: AV out, coaxial out built-in speakers • 2 000 mAh Li-on battery • accessories: AC adapter, car adapter 12 V, AV cable, carrying case



XENON C 111 BLACK

Micro system with CD • plays CDs, CD-R, CD-RW, MP3 • USB input – play MP3s from a flash drive • FM radio timing off function • equalizer output power of $2 \times 2.5 \text{ W}$ • headphone



XENON C 122

Micro system with CD • plays CDs, CD-R, CD-RW, MP3 • USB input – play MP3s from a flash drive • FM radio timing off function • equalizer output power of $2 \times 2.5 \text{ W}$ • headphone



XENON C 222

Micro system with CD • plays CDs, CD-R, CD-RW, MP3 • USB input – play MP3s from a flash drive • FM radio timing off function • equalizer output power of $2 \times 5 \text{ W}$ • headphone • wooden speakers



XENON D 1010 HD

Micro system with DVD playback • plays DVD/CD • FM radio
timing off function • equalizer output power of $2 \times 25 \text{ W}$ •
headphone output • wooden speakers



XENON D 556

Micro system with DVD • plays DVD/CD • FM radio • equalizer •
audio output $2 \times 15 \text{ W}$ • headphone output • SCART, USB input •
wooden speakers



BLUETOOTH SPEAKERS

BT 100 BLACK/WHITE

Bluetooth speaker • Class-D amplifier for quality sound • $2 \times 3 \text{ W}$
• playback control the A2DP profile redproduktoru • built-in battery
up to 5 hours • in AUX • microUSB



NEW

CDR 777 USB BLACK/WHITE

CD radio with CD playback • plays CD, CD-R/RW • AM/FM tuner • audio output $2 \times 1,6 \text{ W}$ • USB • telescopic antenna • headphone output • white/black design • execution only supply network/6 \times C batteries (not included)



CDR 699 USB BLUE/RED

CD radio cassette with CD playback • plays CD-R/RW • AM/FM tuner audio output • $2 \times 1,2 \text{ W}$ • telescopic antenna • headphone output • AUX IN • blue-black/red-black design • execution only supply network/6 \times C batteries (not included)



CDR 699

CD radio cassette with CD playback • plays CD-R/RW • AM/FM tuner audio output • $2 \times 1,2 \text{ W}$ • AUX IN • telescopic antenna • headphone output • silver-black design • execution only supply network/6 \times C batteries (not included)



R 300

Portable radio • FM tuner • Audio output $2 \times 3 \text{ W}$ • digital LCD display • power supply: network/4 \times AAA batteries (not included)



MP3 FM TUNER USB 2.0/1.1 UNIVERSAL SERIAL BUS CARD READER AUX IN DUAL ALARM

R 200

Portable radio • AM/FM tuner • headphone output (not included) • tone control built-in speaker • power: network/batteries $3 \times 1,5 \text{ V}$ (not included)



FM TUNER



CD 190 BT

Car stereo with Bluetooth • plays MP3, WMA, support ID3Tag • AM/FM tuner • RDS (PTY, AF, TA, PI, PS) • power output 4 × 40 W • green backlight • handsfree • anti-vibration • removable front panel • connectors: front Line-in (3,5 mm jack), the amplifier output (RCA)



Bluetooth USB UNIVERSAL SERIAL BUS MP3 WMA CARD READER AUX IN

CD 200 U

Car stereo with CD player • plays CD, CD-R/RW, MP3, WMA, support ID3Tag • AM/FM tuner • RDS (PTY, AF, TA, PI, PS) • power output 4 × 40 W • green backlight • removable front panel • connectors: front Line-in (3,5 mm jack), the amplifier output (RCA)



COMPACT disc UNIVERSAL SERIAL BUS MP3 WMA CARD READER

CD 150 USB

Car stereo with CD player • AM/FM tuner • RDS (PTY, AF, TA, PI, PS) • USB input – play MP3s, WMA files from flash memory card reader • SD power output of 4 × 40 W • anti-vibration • removable front panel • connectors: front Line-in (3,5 mm jack)



USB UNIVERSAL SERIAL BUS MP3 WMA CARD READER

CD 110 USB

Car stereo with CD player • AM/FM tuner • RDS (PTY, AF, TA, PI, PS) • USB input – play MP3s, WMA files from flash memory card reader • SD power output of 4 × 40 W • anti-vibration • removable front panel • connectors: front Line-in (3,5 mm jack)



NEW

USB UNIVERSAL SERIAL BUS MP3 WMA CARD READER

DPF 7010 B

Digital photo frame • 7" TFT LCD (16:9) • resolution: 480 × 234 px • viewing JPEG • clock and calendar image rotation of 90/180/270 degrees • accessories: stand, adapter option • hanging on the wall
power: DC 5-12 V, 1 500mAh



USB
UNIVERSAL SERIAL BUS

CARD READER

DPF 8010 W

Multimedia digital photo frame • display 8" TFT LCD (4:3) • resolution: 800 × 600 px • support: JPEG, AVI, MPEG, DivX 3.4.5 • clock, calendar • 2 built-in speakers • slideshow with music
accessories: stand, remote control, adapter • possibility of wall mounting • power supply: DC 12 V, 1500mAh



AVI

MP3

USB
UNIVERSAL SERIAL BUS

CARD READER



WEATHER STATIONS

MH 008

Weather station • weather forecast for 1 day • dual alarm • touch pad • slim design measuring the internal temperature and of moisture • AC adapter • white display adapter



MS 007 O/B

Weather station • weather forecast for 1 day • alarm clock • slim design measuring internal and external temperatures to • wall mount adapter



MS 005 O

Weather station • weather forecast for 1 day • dual alarm clock measuring internal and external temperature measurement • external pressure for the changes in temperature display • memory for min. and max. temperature • 2 backlight to hang on the wall • AC adapter / battery - 3 × AAA (not included)



MS 004

Weather station up to 3 sensors • weather forecast for 1 day display • moon phase measurements: external pressure, internal and external temperature, relative humidity display • development of temperature memory for min. and max. temperature/pressure air • blue backlight • battery – 3 × AA (not included)



BT 003 W

Wireless thermometer measurements inside and outside temperature display • time and date alarm – snooze • to hang on the wall • up to 3 sensors



MS 002

Weather station up to 3 sensors • weather forecast for 1 day • measurement: internal and external temperature, relative humidity display • time and date alarm with snooze function • emoticons – dry, wet, comfort • battery – 2 × AA (not included)



MS 001

Weather station • weather forecast for 1 day • measuring internal and external temperature • memory for min. and max. temperature display • time and date alarm with snooze function • battery – 2 × AAA (not included)



ALARM CLOCKS

RB 200 BLACK/WHITE

Digital clock radio • alarm clock with snooze function • digital tuner • black/white version



DUAL ALARM FM TUNER SLEEP SNOOZE

DH 009

Digital alarm clock • luxury design • indigo backlight • alarm clock with snooze function • measuring the internal temperature • white design • battery – 2 × AAA (not included)



ALARM

DH 010

Digital alarm clock • luxury design • backlight • alarm function with snooze • measuring the internal temperature of the white version • battery – 2 × AAA (not included)



ANT 907 O

Outdoor DVB-T antenna • frequency range 470-862 MHz • sensitivity from 18 to 22 dB • Impedance 75Ω • noise <3 dB • 5 V from a connected set-top box • accessories: AC adapter, installation kit



DVB-T
TERRESTRIAL

ANT 1007 O

Outdoor DVB-T directional antenna • frequency range 470-862 MHz • sensitivity 10 to 14 dB • impedance 75Ω • ratio of 26 dB



DVB-T
TERRESTRIAL

ANT 708 OI

Outdoor DVB-T antenna • horizontal and vertical polarization • resistant to weather conditions • frequency range 174-230 MHz and 470-862 MHz VHF • sensitivity: 19 dB/UHF: 14 dB • accessories: AC adapter



DVB-T
TERRESTRIAL

ANT 809 I

DVB-T indoor aerial reception • with horizontal and vertical polarization power indicator • frequency range 160-230 MHz and 470-860 MHz • VHF sensitivity: 20 db/UHF: 28 dB • accessories: AC adapter



ANT 808 I

Indoor DVB-T antenna • horizontal and vertical polarization power indicator • frequency range 160-230 MHz and 470-862 MHz • VHF sensitivity: 15 db/UHF: 20 db



ANT 607 I

Indoor DVB-T integrated amplifier antenna • 27 cm diameter • frequency range 40-230 MHz and 470-862 MHz • VHF sensitivity: 30 dB/UHF: 36 dB • impedance 75 Ω • noise <3 db • AC 230 V



ANT 608 I

Indoor DVB-T antenna power indicator • frequency range 47-230 MHz and 470-860 MHz • VHF sensitivity: 20 dB/UHF: 25 dB • accessories: AC adapter



LD 2642 AOF

Cleabnig kit with holder for LCD/LED TV with diagonal 26"-46" • 60 ml cleaning solution, brush, cloth • HDMI cable 1,8 m, ver. 1.4 • max. weight of TV 30 kg • mounting hardware is included



LD 2640 F

Bracket for LCD TV with diagonal 26"-40" • maximum size attachment 500 × 400 mm • max. weight of TV 40 kg • distance from wall 30 mm • installation accessories are included



LD 1332 K

Bracket for LCD TV with diagonal 10"-32" • 1-hingel aluminum construction • VESA 50/75/100/200 • max. weight of TV 20 kg • cable management system for mounting accessories included



±20° max. 70°

LD 1333 K

Bracket for LCD TV with diagonal 10"-32" • 2-hingel aluminum construction • VESA 50/75/100/200 • max. weight of TV 20 kg • cable management system for mounting accessories included



±20° max. 180°

LD 1334 K


Bracket for LCD TV with diagonal 10"- 32" • 3-hingel aluminum construction • VESA 50/75/100/200 • max. weight of TV 25 kg • cable management system for mounting accessories included



±20° max. 270°

LD 1332 F


Bracket for LCD TV with diagonal 13"-32" • VESA 200/100/75/50 • max. weight of TV 35 kg • distance from wall 17 mm • installation accessories are included



SLIM

LD 1326 F

Bracket for LCD TV with diagonal 13"-26" • VESA 100/75/50 • max. weight of TV 25 kg • distance from wall 16 mm • installation accessories are included



SLIM

CS 2000

Cleaning kit • 200 ml solution, brush, cloth



CS 1000

Cleaning kit • 100 ml solution, brush, cloth



KH 1420

HDMI version 1.4 • 24K gold plated connectors A/M • cable length 2 m • support resolution up to 4096 × 2160/24p • support 3D • support xvColour and Adobe RGB • audio return channel (ARC) • support for ethernet 100 Mbit/s

.....



.....

HDMI with ETHERNET

.....

KH 1430

HDMI version 1.4 • 24K gold plated connectors A/M • cable length 3 m • support resolution up to 4096 × 2160/24p • support 3D • support xvColour and Adobe RGB • audio return channel (ARC) • support for ethernet 100 Mbit/s

.....



.....

HDMI with ETHERNET

.....

KH 1520

HDMI version 1.4 • 24K gold plated connectors A/M • cable length 2 m • support resolution up to 4096 × 2160/24p • support 3D • support xvColour and Adobe RGB • audio return channel (ARC) • support for ethernet 100 Mbit/s

.....



.....

HDMI with ETHERNET

.....

KH 1530

HDMI version 1.4 • 24K gold plated connectors A/M • cable length 3 m • support resolution up to 4096 × 2160/24p • support 3D • support xvColour and Adobe RGB • audio return channel (ARC) • support for ethernet 100 Mbit/s

.....



.....

HDMI with ETHERNET

.....

KP 3015

Power strip 3 sockets 1,5 m • 3G1.0mm •
up to 2 300 W

.....



KP 3015 V

Power strip 3 sockets 1,5 m with switch • 3G1.0mm •
up to 2 300 W

.....



KP 3030

Power strip 3 sockets 3 m • 3G1.0mm •
up to 2 300 W

.....



KP 3030 V

Power strip 3 sockets 3 m with switch • 3G1.0mm •
up to 2 300 W

.....



KP 5030

5 outlet power strip 3 m • 3G1.0mm •
up to 2 300 W



KP 5030 V

5 outlet power strip 3 m with switch • 3G1.0mm •
up to 2 300 W



KP 5050

5 outlet power strip 5 m • 3G1.0mm •
up to 2 300 W



KP 5050 V

5 outlet power strip 5 m with switch • 3G1.0mm •
up to 2 300 W







SMALL DOMESTIC APPLIANCES

CUP OF TEA IN A MINUTE

RK 1865 ST blue / green / red

1,8 l capacity • stainless steel finish with polished surface • central STRIX connector guarantees a long life of the kettle • 360° base with power cord storage • lid safety lock • removable and washable limescale filter • boil dry protection • blue backlit water gauge • power input 2 000 W



RK 1855 ST

1,8 l capacity • brushed stainless steel finish • central STRIX connector guarantees a long life of the kettle • 360° base with power cord storage • removable and washable limescale filter • boil dry protection • illuminated water window and power indicator • power input 2 000 W

.....



.....

RK 1740 KE

1,7 l capacity • stainless steel finish • central KETSOL connector guarantees a long life of the kettle • concealed element • 360° base with power cord storage • removable and washable limescale filter • boil dry protection • illuminated water window • power input 2 000 W

.....



.....

RK 1040

1,0 l capacity • stainless steel finish • central connector • concealed element • 360° base with power cord storage • removable and washable limescale filter • boil dry protection • illuminated water window • power input 1 500 W

.....



.....

RK 0510

0,5 l capacity • brushed stainless steel finish • concealed element • automatically switches off • power on indicator • 2 plastic cups included • power input 1 000 W

.....



.....

KETTLES

RK 2010 OT

2,0 l capacity • stainless steel lid and base finish • central OTTER connector guarantees a long life of the kettle • 360° base with power cord storage • removable and washable limescale filter • boil dry protection • illuminated water window • power input 2 000 W



RK 1725 blue / orange

1,7 l capacity • central connector • concealed element • 360° base with power cord storage • removable and washable limescale filter • boil dry protection • power on indicator • power input 2 000 W



RK 1845 green / grey / purple

1,8 l capacity • double sided water gauge • central connector • concealed element • 360° base with power cord storage • removable and washable limescale filter • boil dry protection • power on indicator • power input 2 000 W



RK 1745

1,7 l capacity • central connector • concealed element • 360° base with power cord storage • removable and washable limescale filter • boil dry protection • power on indicator • power input 2 000 W



RK 1350 KE

1,3 l capacity • central KETSOL connector guarantees a long life of the kettle • concealed element • 360° base with power cord storage • removable and washable limescale filter • boil dry protection • power on indicator • power input 2 000 W



RK 1210 green / grey / purple

1,2 l capacity • double sided water gauge • central connector • concealed element • 360° base with power cord storage • removable and washable limescale filter • boil dry protection • power on indicator • power input 1 100 W



BREAD MAKER

PCB 538

10 programmes • 2 kneading blades • maximum bread size 1 300 g • 3 crust settings • LCD display • add ingredients signal • 13 hour delay timer • suitable for making jam and cakes • dishwasher safe baking pan • keep warm function • power input 800 W



PREMIUM

MH 158

8 functions: fondue, braise, steam, boil, roast, deep fry, scallop, grill • 2,9 l pot size capacity • variable temperature from 80 to 240 °C • removable bowl with non-stick coating • accessories: fondue set 6 forks, steam rack, frying basket • power input 1 500 W



MH 168 Fit4life

Cook, roast, bake, fry, grill • using just 1 spoon full of oil • rotating paddle for even cooking • 3 l pot size capacity • removable bowl with non-stick coating • LCD digital timer • auto shut-off with sound alert • max. input 1 200 W

NEW

PREMIUM



S 199 Quattro

Makes 8 sandwiches • stainless steel finish • non-stick plates • cool touch handle • power on indicator and ready light • power input 1 100 W



PREMIUM



S 169

Makes 2 sandwiches • non-stick plates • cool touch handle • power on indicator and ready light • power input 700 W



S 179

Makes 2 sandwiches • stainless steel finish • non-stick plates • cool touch handle • power on indicator and ready light • power input 700 W



SANDWICH MAKERS



S 089

Makes 4 sandwiches • stainless steel finish • non-stick plates • cool touch handle • power on indicator and ready light • power input 700 W

PREMIUM

S 099 3in1

3 replaceable plates – sandwich, triangle and grill • stainless steel finish • non-stick plates • cool touch handle • overheating protection • power on indicator and ready light • power input 750 W





ST 968

2 slices • stainless steel finish • variable browning • auto shut-off • cancel, defrost and reheat function • removable crumb tray • illuminated controls • power input 900 W



ST 818

2 slices • variable browning • auto shut-off • cancel, defrost and reheat function • removable crumb tray • illuminated controls • power input 800 W



ES 150 Quick&Fresh

5 attachments for 5 functions: coarse grating, fine grating, thin slices, thin curly slices, grating hard cheese • wide hopper • ergonomic shape – the foods fall directly into a bowl • easy to clean • all removable attachments are dishwasher safe • non-slip pads • power input 150 W



SP 366

Suitable for chopping fruits, vegetables, herbs and other food • transparent 800 ml container • removable stainless steel chopping blade • safety locking lid • dishwasher safe parts • power input 260 W



EK 155

Full metal body • 170 mm stainless steel blade • slice thickness 0–15 mm • momentary on button for safe operation • safety thumb guard • integrated serving tray • cord storage • non-slip feet • power input 150 W



PREMIUM

KR 814

Variable speed + pulse function • main bowl capacity 1,5 l • glass blender capacity 1,5 l • mini bowl capacity 0,5 l • 4 pcs stainless steel discs • juicer • twin whisk • dough tool • 2 stainless steel chopping blades • citrus press • mill • power input 800 W



PREMIUM

KR 454

4 litres stainless steel bowl • 6 speeds + pulse function • planetary mixing action for mixing dough • dough hook, whisk and mixing attachments • restarting fuse • easy to clean • non-slip feet for better stability • power input 450 W



STICK MIXERS

RM 993 set

2 speed soft touch buttons • variable speed • soft touch, anti-slip, ergonomic handle • stainless steel pan blender, blades and whisk • low weight • silent operation • transparent 600 ml beaker • 500 ml mini chopper • illuminated speed control • power input 600 W

PREMIUM



RM 995 set

Ergonomic handle • 2 speed soft touch buttons • stainless steel pan blender, blades and whisk • low weight • silent operation • transparent 600 ml beaker • 500 ml mini chopper • wall mount holder • power input 500 W

NEW



RM 994

Ergonomic handle • 2 speed soft touch buttons • detachable stainless steel pan blender • stainless steel blades • low weight • silent operation • transparent 600 ml beaker • power input 500 W

RM 990

Ergonomic handle • 2 speed soft touch buttons • detachable stainless steel pan blender • stainless steel blades • low weight • silent operation • hanging loop for easy storage • power input 400 W

NEW



RSM 01

5 speeds • revolutions: 950-1 200 rev./min. • pulse function • TURBO boost button • safety eject button • 2 whisks • 2 dough hooks • rotating base • 3 l bowl capacity - dishwasher safe • safety lock • power input 250 W



RS 836

6 speeds • TURBO boost button • safety eject button • 2 whisks • 2 dough hooks • power input 250 W



FRUIT DEHYDRATOR



SO 375

Dries fruits, vegetables, herbs, meat and other types of food • five 32 cm trays included • continuous temperature control (35-70 °C) • fan for even drying • overheating protection • silent operation • additional trays available to purchase • instruction manual with recipes and tips • power input 250 W

RICE COOKER

RZ 10

Suitable for preparing all types of rice • 1 l capacity • max. 700 g of rice (weight before cooking) • non-stick surface removable bowl • keep warm function (up to 5 hours) • indicator lights • safety switch • safety overheating protection • power input 400 W



IV 29 2in1

Induction glass hob free-standing or built-in • minimal heat loss • suitable for 12-30 cm diameter cookware • extra large LED display • 10-stage temperature control (60-240 °C) • 10-stage power setting • 1 to 180 minute timer • touch control • overheating and surge protection • max. power input 2 900 W



IV 18

Induction glass hob • minimal heat loss • suitable for 12-30 cm diameter cookware • extra large LED display • 10-stage temperature control (60-240 °C) • 10-stage power setting • 1 to 180 minute timer • touch control • overheating and surge protection • power on indicator • max. power input 1 800 W



ELECTRIC HOBS

EV 2502

2 hobs with 188 and 155 mm diameter • stainless steel finish • continuous thermostat regulation • power on indicators • safety overheating protection • non-slip feet • power input 2 500 W



EV 1501

1 hob with 188 diameter • stainless steel finish • continuous thermostat regulation • power on indicators • safety overheating protection • non-slip feet • power input 1 500 W



GRILLS

SG 160

Removable double sided 2in1 plate with non-stick coating • 10 skewers • 5 hot dog rollers • automatic rotating of skewers and rollers • 3-stage temperature control (120-230 °C) • built-in drip cup • removable drip trays • easy to dismantle and clean • power input 1 600 W



RG 520

100% natural stone • 8 raclette pans with non-stick coating • cool touch pan handles • variable temperature • thermostatically controlled • power on indicator and ready light • power input 1 300 W



KG 200

3 working positions – for scalloping, grilling and BBQ • 2 independent thermostats • removable grill plates with non-stick grill surface • variable temperature control up to 220 °C • power on indicator and ready to grill light • removable drip tray • power input 2 000 W





MODERN AND ECOLOGICAL

OV 122 solar

6 mm impact resistant safety glass • ultra slim design (21 mm) • extra large LCD display • maximum capacity 150 kg • measures in increments of 100 g • imperial / metric conversion • tap to start • auto shutt-off • warning signal indication • power: solar panels



OV 123 black / green / red

6 mm impact resistant safety glass • ultra slim design (17 mm) • extra large LCD display • maximum capacity 150 kg • measures in increments of 100 g • tap to start • auto shut-off • overload and low battery warning • batteries required 1 × 3 V (included)



OV 120 SLIM

Body analyser scale measures body fat, body water and muscle • 6 mm impact resistant safety glass • ultra slim design (21 mm) • large LCD display • touch controls • maximum capacity 150 kg • measures in increments of 100 g • 12 user memory • batteries required 2 × 3 V (included)



WALL HANGING OPTION

KV 130

Blue backlight LCD display • wall hanging option • brushed stainless steel platform • maximum capacity 5 kg • measures in increments of 1 g/1 ml • liquid measuring function • alarm timer with room temperature indicator • graduations of 1 g/0,1 oz/1 ml/0,1 fl.oz • batteries required 2 × AAA (not included)



KV 117 SLIM black / red

3 mm impact resistant safety glass • LCD display with touch controls • maximum capacity 5 kg • graduations of 1 g/0,1 oz/1 ml/0,1 fl.oz • liquid measuring function • add and weigh function • imperial/metric conversion • overload and low battery warning • batteries required 1 × 3 V (included)



KV 119 green / grey / purple

Practical removable bowl (1000 ml) • LCD display • maximum capacity 3 kg • measures in increments of 1 g/1 ml • graduations of 1 g/0,1 oz/1 ml/0,1 fl.oz • liquid measuring function for water, milk and oil • add and weigh function • imperial/metric conversion • batteries required 1 × 3 V (included)



KV 118

Practical removable plastic bowl • extra large LCD display • maximum capacity 5 kg • graduations of 1 g/0,1 oz/1 ml/0,1 fl.oz • liquid measuring function • add and weigh function • imperial/metric conversion • overload and low battery warning • batteries required 1 × 3 V (included)



TOUCH-FREE DISPENSERS

BD 25 black/white

100% touch-free operation (reduces the presence of bacteria) • suitable for use with any soap, sanitizing gel or cleaning agent • backlit LCD display • three-level setting for the dispensed amount • self-cleaning mode • 250 ml capacity • batteries required 3 × AA (not included)

.....



BD 33

100% touch-free operation (reduces the presence of bacteria) • suitable for use with any soap, sanitizing gel or cleaning agent • three-level setting for the dispensed amount • self-cleaning mode • LED indicator • 330 ml capacity • batteries required 3 × AA (not included)

.....



BD 50

100% touch-free operation • suitable for use with any soap, shampoo, sanitizing gel or cleaning agent • backlit LCD display • three-level setting for the dispensed amount • self-cleaning mode • ON/OFF button • wall mounting kit • 500 ml capacity • batteries required 3 × AA (not included)

.....



BD 35

100% touch-free operation • suitable for use with any soap, shampoo, sanitizing gel or cleaning agent • three-level setting for the dispensed amount • transparent container to show the liquid amount • self-cleaning mode • LED indicator • wall mounting kit • 350 ml capacity • batteries required 3 × AA (not included)

.....



BK 42

100% touch-free operation • 42 l capacity • brushed stainless steel finish • water-resistant infrared sensor • manual opening /closing of the lid via buttons • safety ring for securing the garbage bag • low battery indication • batteries required 3 × 1,5 V type LR14 (not included)



BK 24

100% touch-free operation • 24 l capacity • brushed stainless steel finish • water-resistant infrared sensor • manual opening /closing of the lid via buttons • safety ring for securing the garbage bag • low battery indication • batteries required 3 × 1,5 V type LR20 (not included)



BK 05

100% touch-free operation • 5 l capacity • brushed stainless steel finish • water-resistant infrared sensor • inner plastic container • safety holder for securing the garbage bag • low battery indication • batteries required 4 × 1,5 V type LR14 (not included)



FOOT MASSAGERS

MN 103

Improves skin condition and blood circulation • 3 settings: warm bath + vibration massage + bubbles + infrared soothing light / warm bath + blowing / vibration massage + infrared soothing light • over 400 stimulation points • soothing heat helps to maintain warm water temperature • power input 90 W

.....



MN 104

Improves skin condition and blood circulation • vibration massage + warm bath + bubbles • over 400 stimulation points • soothing heat helps to maintain warm water temperature • 4 removable attachments • power input 90 W

.....



HAIR DRYER

VV 112

2 speed settings • 3 temperature settings • cool shot • soft touch, anti-slip finish • overheating protection • concentrator nozzle for controlled styling • hanging loop for easy storage • removable filter for easy cleaning • power input 2 200 W

.....



HK 115

2 speed and temperature settings • cool shot function •
6 attachments: curling iron, large thermal brush, large bristle
brush, small bristle brush, straightener, concentrator nozzle •
hanging loop for easy storage • swivel cord • power input
1 000 W



HK 120

2 speed and temperature settings • cool shot function • small bristle
brush • hanging loop for easy storage • swivel cord • power input
1 000 W



HAIR STRAIGHTENERS

ZV 68

Floating ceramic plates for healthier looking hair • ionic conditioning • digital controls • automatic safety switch off after 30 minutes • digitally-controlled 9 temperature settings (140-220 °C) • 30sec heat-up time • locks for storage • blue backlight LCD display • power input 40 W



ZV 78

Ceramic plates • variable temperature control (100-200 °C) • very fast heat up • blue backlight LCD display • soft touch, anti-slip finish • swivel cord • power input 100 W



NZ 260

Easyslide soleplate • auto shutt off with sound alert • ANTI-DRIP • ANTI-CALC system prevents build-up of limescale • self-clean • variable temperature settings • variable steam • steam shot • steam tip • temperature ready indicator • transparent water container 410 ml • swivel cord • power input 2 600 W

PREMIUM



NZ 271 V

Ceramic soleplate • auto shutt off with sound alert • ANTI-DRIP • ANTI-CALC system prevents build-up of limescale • self-clean • variable temperature settings • variable steam • steam shot • steam tip • temperature ready indicator • transparent water container 350 ml • swivel cord • power input 2 200 W



NZ 268

Ceramic soleplate with steam ducts • ANTI-DRIP • ANTI-CALC system prevents build-up of limescale • self-clean • variable temperature settings • variable steam • steam shot 0-40g/min. • steam tip • temperature ready indicator • transparent water container 200 ml • swivel cord • power input 2 200 W



STEAM IRONS

NZ 221

Ceramic soleplate • ANTI-DRIP • ANTI-CALC system prevents build-up of limescale • self-clean • variable temperature settings • variable steam • steam shot • steam tip • temperature ready indicator • transparent water container 350 ml • swivel cord • power input 2 200 W



NZ 200

Ceramic soleplate • ANTI-DRIP • ANTI-CALC system prevents build-up of limescale • self-clean • variable temperature settings • variable steam • steam shot • steam tip • temperature ready indicator • transparent water container 340 ml • swivel cord • power input 2 000 W



NZ 212

Stainless steel soleplate • variable temperature settings • variable steam • steam shot • steam tip • temperature ready indicator • transparent water container 170 ml • swivel cord • power input 1 200 W





ALWAYS HANDY

VR 935

Wet and dry cleaning • washable filter • 15 minutes running time on full charge • NiMH battery 8,4 V (7 × 1 200 mAh) • battery charging indicator • charging base suitable for wall mounting • accessories: crevice tool, squeegee



VP 915

Max. power 2 000 W • suction power 280 W • HEPA 10 filtration – washable filter • thermostat fuse • Soft Start function • 5 level filtration system • 8 m operating radius • accessories: metal floor brush, turbo brush, parquet brush, crevice tool, upholstery nozzle, dusting brush

PREMIUM



VP 912

Max. power 2 200 W • suction power 310 W • HEPA 10 filtration – washable filter • thermostat fuse • Soft Start function • 4 level filtration system • 8,1 m operating radius • accessories: metal floor brush, turbo brush, mini turbobrush for upholstery, crevice tool, upholstery nozzle

PREMIUM



VP 3161 S

Max. power 1 600 W • suction power 300 W • 7,5 m operating radius • variable power • dustbag capacity – 2 l • metal telescopic tube • 2 parking positions for the floor brush • 5 m power cord length • accessories: metal floor brush, crevice tool



NEW



KT 10

PTC heating element for more efficient heating • option to set 90° oscillation • 2 heat settings (750/1 500 W) • cool air blow feature • variable thermostat • safety cut out switch • safety tip-over switch • handle for easy carrying • max. power input 1 500 W



TK 2010 TC white

3 heat settings 750 / 1 250 / 2 000 W • 24 hour timer • TURBO function • integrated fan • variable thermostat • safety cut out switch • power on indicators • handles for easy carrying • suitable for wall mounting, wall fixings included • max. power input 2 000 W



TK 2010 TC black

3 heat settings 750 / 1 250 / 2 000 W • TURBO function • integrated fan • variable thermostat • safety cut out switch • power on indicator • handles for easy carrying • suitable for wall mounting, wall fixings included • max. power input 2 000 W



HEATERS

TK 2020

3 heat settings 750 / 1 250 / 2 000 W • variable thermostat • safety cut out switch • handles for easy carrying • max. power input 2 000 W



TV 25

2 heat settings: 1 200 W / 2 400 W • cool air blow feature • variable thermostat • safety cut out switch • power on indicator • handles for easy carrying • max. power input 2 000 W



OR 509

Oil convection heater • 3 heat settings 800 / 1 200 / 2 000 W • variable thermostat • double safety cut out switch • power on indicators • handles for easy carrying • cord storage • max. power input 2 000 W



OR 507

Oil convection heater • 3 heat settings 500 / 1 000 / 1 500 W • variable thermostat • double safety cut out switch • power on indicators • handles for easy carrying • cord storage • max. power input 1 500 W



AC 30

25 l capacity • single voltage 12 V (adapter sold separately) •
cools down by as much as 15 °C below the ambient temperature •
dual fan system for quicker cooling • quality lightweight insulation •
3 practical side pockets • folding bag • cord storage in the zipped
pocket • power input 46 W



AC 20 blue / grey

20 l capacity • single voltage 12 V (adapter sold separately) •
cools down by as much as 18 °C below the ambient temperature •
heating function • dual fan system for quicker cooling • quality
lightweight insulation • practical lid locking by using the handle •
cord storage in the lid • max. power input 46 W



MP 2030

Suitable for powering car cool boxes AC 20 and AC 30 •
2,3 m cable length



AIR CONDITIONER

MK 092

Energy class A • cooling power 9 000 BTU/h (2,63 kW) • cooling, dehumidifying and ventilating functions • LED display • 24hour timer • recommended room area 14-20 m² • thermostat 17-30 °C • dehumidification capacity 13 l/24 h • air flow 380 m³/h • remote control • power input 999 W

.....



FANS

FS 40 N


40 cm • stainless steel finish • 3 speed settings • oscillating • adjustable tilt • round stable base • blade guard • quiet operation • power input 50 W

.....



FS 40

40 cm • 3 speed settings • oscillating • adjustable tilt • cross stable base • blade guard • quiet operation • power input 50 W



FT 30

30 cm • 3 speed settings • oscillating • adjustable tilt • blade guard • quiet operation • power input 40 W



FT 23

23 cm • 2 speed settings • oscillating • adjustable tilt • blade guard • quiet operation • power input 30 W







FREESTANDING AND BUILT-IN APPLIANCES

FRESHNESS GUARANTEED

ERB 21811 SSA+

Combined refrigerator with freezer on the bottom •
energy class A+ • daily power consumption:
0,752 kWh • total net capacity 254 l • net fridge/
freezer capacity: 190 l/64 l • freezing class: *** •
climate class N • stainless steel finish • glass shelves •
egg rack • automatic defrosting • noise level 40 dB



NEW



ERB 21810 WA+

Combined refrigerator with freezer on the bottom • energy class A+ •
daily power consumption: 0,752 kWh • total net capacity 254 l •
net fridge/freezer capacity: 190 l/64 l • freezing class: **** •
climate class N • egg rack • automatic defrosting • glass shelves •
noise level 40 dB



ERD 21401 WA+

Combined refrigerator with freezer on the top • energy class A+ •
daily power consumption: 0,634 kWh • total net capacity 216 l •
net fridge/freezer capacity: 176 l/40 l • freezing class: **** •
climate class N • glass shelves • automatic defrosting • noise level
40 dB



ERT 10853 WA++

Refrigator with compartment • energy class A++ • daily power consumption: 0,375 kWh • total net capacity 113 l • net fridge/freezer capacity: 97 l/16 l • freezing class: **** • climate class: N • glass shelves • automatic defrosting • reversible door • noise level 42 dB



CLASS
A++ TABLE TOP ****

ERT 10850 WA+

Refrigator with freezing area • energy class A+ • daily power consumption: 0,347 kWh • total net capacity 81 l • net fridge/freezer capacity 73 l/8 l • glass shelves • automatic defrosting • egg rack • ice cube tray • reversible door • noise level 41 dB



CLASS
A+ TABLE TOP **

ERM 10470 WA+

Minibar with freezing area • energy class A+ • daily power consumption: 0,30 kWh • total net capacity 45 l • wire shelf • manual defrosting • reversible door • noise level 45 dB



CLASS
A+

EFT 10852 WA+

Freezer table top • energy class A+ • daily power consumption: 0,48 kWh • total net capacity 68 l • manual defrosting • reversible door • noise level 40 dB



CLASS
A+ TABLE TOP ****

EWF 1471 LA+++

Front loaded automatic washing machine • energy class A+++ • 1 400 rpm. • 7 kg dry load capacity • 15 programs • LED display • Twin Jet system • delay start • wide opening door • child lock • water consumption: 9 240 l/year (220 cycles) • energy consumption: 162 kWh/year (220 cycles) • noise level 58 dB



EWF 1271 LA++

Front loaded automatic washing machine • energy class A++ • 1 200 rpm. • 7 kg dry load capacity • 15 programs • LED indicators • spin speed regulation • unbalance control system • wide opening door • child lock • water consumption: 10 337 l/year (220 cycles) • energy consumption: 195 kWh/year (220 cycles) • noise level 58 dB



EWF 1051 MA+

Front loaded automatic washing machine • energy class A+ • 1 000 rpm • 5 kg dry load capacity • 15 programs • unbalance control system • child lock • water consumption: 9 240 l/year (220 cycles) • energy consumption: 167 kWh/year (220 cycles) • noise level 58 dB



EWS 1052 MA+

Front loaded automatic washing machine • slim • energy class A+ • 1 000 rpm • 5 kg dry load capacity • 20 programs • unbalance control system • wide opening door • child lock • water consumption: 9 007 l/year (220 cycles) • energy consumption: 167 kWh/year (220 cycles) • noise level 58 dB



EDS 6025 QA+

Semi-integrated dishwasher • 60 cm • 12 sets of dishes • 5 washing programs • energy class A+ (1,02 kW/cycle) • water consumption: 12 l/cycle • washing efficiency: A • drying efficiency: A • delayed start: 3, 6, 9, 12h • Aquastop • self-cleaning stainless steel micro filter • overflow safeguard • noise level 52 dB



EDB 6019 QA+

Fully integrated dishwasher • 60 cm • 12 sets of dishes • 9 programs • energy class A+ (0,95 kWh/cycle) • water consumption: 9 l/cycle • washing efficiency A • drying efficiency A • 5 temperatures: 30/40/50/60/70 °C • delayed start: 1-19 h • Aquastop • adjustment of water hardness • adjustable leg height • noise level 52 dB



EDB 6014 QA+

Fully integrated dishwasher • 60 cm • 12 sets of dishes • 4 programs • energy class A+ (0,95 kWh/cycle) • water consumption: 12 l/cycle • washing efficiency A • drying efficiency A • 3 temperatures: 50/65/70 °C • Aquastop • adjustment of water hardness • end of cycle indicator • adjustable leg height • noise level 52 dB



EDF 6015 QA+

Freestanding dishwasher • 60 cm • 12 sets of dishes • 5 programs • energy class A+ (1,02 kWh/cycle) • water consumption: 12 l/cycle • washing efficiency A • drying efficiency A • 4 temperatures • LED indicators • Aquastop • possibility to built under a worktop • noise level 49 dB



EDF 6016 WA+

Freestanding dishwasher • 60 cm • 12 sets of dishes • 6 programs • energy class A+ (1,03 kW/cycle) • water consumption: 12 l/cycle • washing efficiency: A • drying efficiency: A • LED indicators • noise level 52 dB



EDF 4515 QA+

Freestanding dishwasher • 45 cm • 9 sets of dishes • 5 programs • energy class A+ (0,77 kWh/cycle) • water consumption: 10,5 l/cycle • washing efficiency A • drying efficiency A • 4 temperatures: 40/50/55/65 °C • Aquastop • possibility to built under a worktop • noise level 49 dB





EOD 65028 SS

Multifunctional convection oven • 8 programs: defrosting, bottom heating, convectional cooking, convection with fan, radiant grilling, double grill, double grill with fan, convection • capacity 65 l • energy class A • digital control • digital programmable clock • LCD display • full glass • door • cooling fan • interior lighting • child lock • standard accessories • noise level 58 dB • max. power output 3 kW



EOT 7001 X

Multifunctional convection oven • 7 programs: top and bottom heating, full and half grill, grill with fan, hot air, bottom convector, defrosting • LCD display • touch control • energy class A • capacity 56 l • digital programmable clock • cooling fan • interior lighting • noise level 52 dB • max. power output 3,1 kW



EOM 4003 X

Built-in oven • 3 programs: top, bottom top and bottom heating • interior lighting • mechanical timer • energy class A • capacity 58 l • cooling fan • two-layer glass door • standard accessories: small baking pan, slide-in rack • noise level 52 dB • max. power output 3,1 kW



Deep enamelled baking pan 440

Deep enamelled baking pan for ovens EOM 4003 X, EOT 7001 X • dimensions: 39,8 × 440 × 345 mm (H × W × D)



Deep enamelled baking pan 474

Deep enamelled baking pan for oven EOD 65028 SS • dimensions: 44,6 × 474 × 345 mm (H × W × D)




BI MICROWAVE OVEN

MTD 206 VSS

Built-in microwave oven • volume 20 l • digital control • microwave power 800 W • stainless steel design incl. inside area • timer up to 95 min. • automatic cooking (8 menu) • defrosting time/weight • 5 cooking power levels • frame for integrating components • rotating plate Ø 245 mm



8 menu 20l 800 W INOX



EFR 6041 X

Built-in hood • 60 cm • 3 speeds • suction power 260 m³/h •
recirculation (carbon filter components) • check valve • 2× washable
aluminum grease filter • lighting • stainless steel finishing • noise
level 49-64 dB • motor power 165 W



FOR A FRESH KITCHEN WITHOUT UNNECESSARY FUMES

EFT 6025 X

Suspended hood • 3 speeds • suction power 320 m³/h • recirculation (carbon filter is not the component) • check valve • 2× washable aluminum grease filter • 2 lamps • stainless steel finishing • noise level 49-64 dB • motor power 205 W



EFT 6032 W

Suspended hood • 3 speeds • suction power 320 m³/h • recirculation (carbon filter is not the component) • washable metal grease filter • 1 lamp • white finishing • noise level 49-68 dB • power 165 W



EFR 6041 X carbon filter

Carbon filter for model EFR 6041 X



EFT 6025 X carbon filter

Carbon filter for model EFT 6025 X and EFT 6032 W



EHI 7004

Standalone induction hob 60 cm • energy class A • electronic touch control • oblique edges • residual heat control • max. timer 99 min. • automatic pot recognition on induction zones • 4 induction zones: b/l: 2 000 W/180 mm • b/r: 1 500 W/140 mm • f/l: 1 500 W/140 mm • f/r: 2 000 W/180 mm




EHC 6404 D

Standalone ceramic hob • 60 cm • energy class A • electronic touch control • oblique edges • child lock • automatic safety switch • 4 residual heat indicators • max. timer 99 min. • 4 induction zones: b/l: 1 200 W/165 mm, b/r: 1 000/2 200 W/140/200 mm, f/l: 1 800 W/200 mm, f/r: 1 200 W/165 mm



EHC 6004


Standalone ceramic hob • 60 cm • energy class A • electronic touch control • child lock • automatic safety switch • 4 residual heat indicators • max. timer 99 min. • 4 induction zones: b/l: 1 200 W/165 mm, b/r: 1 800 W/200 mm, f/l: 1 800 W/200 mm, f/r: 1 200 W/165 mm • total power input 6 kW



POWER AND ELEGANCE

MTD 231 S

23 l capacity • digital control • microwave power output 800 W •
stainless steel finish • 95 minute timer • 8 programmes • auto weight
defrost • 5 power settings • child safety lock • glass turntable Ø 270 mm



MICROWAVE OVENS

MTD 2002 black

20 l capacity • digital control • microwave power output 700 W • 95 minute timer • 8 programmes • auto weight defrost • 5 power settings • child safety lock • glass turntable Ø 245 mm



8 menu 20l 700 W

MTD 2002 white

20 l capacity • digital control • microwave power output 700 W • 95 minute timer • 8 programmes • auto weight defrost • 5 power settings • child safety lock • glass turntable Ø 245 mm



8 menu 20l 700 W

MTD 205 SS

20 l capacity • digital control • microwave power output 700 W • full stainless steel finish incl. interior • 95 minute timer • 8 programmes • auto weight defrost • 5 power settings • child safety lock • glass turntable Ø 245 mm



8 menu 20l 700 W INOX



MTD 170 B

17 l capacity • digital control • microwave power output 700 W • 60 minute timer • auto weight defrost • 5 power settings • child safety lock • glass turntable Ø 245 mm



8 menu 17l 700 W

MTM 2003 W

20 l capacity • manual control • microwave power output 700 W • 35 minute timer • auto weight defrost • 5 power settings • glass turntable Ø 255 mm



20l 700 W

ELECTRIC OVENS

ET 3324 black

33 l capacity • manual control • power 3 000 W • stainless steel finish • 2 cast-iron hobs • variable hob temperature • 4 oven settings • variable oven temperature (100-230 °C) • interior lighting • accessories: baking tray, grill rack, rotisserie spit, tray handle



33l INOX

ET 3324 white

33 l capacity • manual control • power 3 000 W • stainless steel finish • 2 cast-iron hobs • variable hob temperature • 4 oven settings • variable oven temperature (100-230 °C) • interior lighting • accessories: baking tray, grill rack, rotisserie spit, tray handle




33l INOX


TECHNICAL DRAWINGS

BUILT-IN OVENS

- EOT 7001 X
- EOM 4003 X




- EOD 65028 SS




BI MICROWAVE OVEN

- MTD 206 VSS




HOBS

- EHC 6404 D
- EHC 6004



INDUCTION HOB


- EHI 7004




Space under induction hob necessary for ventilation (at least 50 mm)

BUILT-IN DISHWASHERS

- EDS 6025 QA+




- EDB 6014 QA+
- EDB 6019 QA+




HOODS

- EFT 6025 X
- EFT 6032 W



- EFR 6041 X



LOGISTICS TABLE

Model no.	Width (mm)	Height (mm)	Depth (mm)	Netto weight (kg)	Giftbox width (mm)	Giftbox height (mm)	Giftbox depth (mm)	Brutto weight (kg)	Package
19 LED 612 PVR	444	321	160	2,70	526	348	115	3,50	1
22 LED 610 DPVR	518	363	170	3,50	616	426	135	4,70	1
22 LED 612 PVR	512	349	160	3,20	616	426	135	4,30	1
24 LED 610 DPVR	562	388	170	4,10	650	440	135	5,30	1
24 LED 612 PVR	567	359	160	3,70	650	440	135	4,80	1
32 LED 612 PVR	751	512	200	5,60	886	580	132	8,50	1
AC 20	390	425	285	3,80	395	440	295	4,50	2
AC 30	360	350	260	2,10	380	365	120	2,90	4
ANT 1007 O	710	430	420	8,40	700	415	80	8,80	5
ANT 607 I	268	335	113	1	267	358	129	1,20	10
ANT 608 I	200	240	150	0,60	205	275	65	0,70	10
ANT 708 OI	130	305	40	0,80	180	345	145	1,20	10
ANT 808 I	165	165	60	0,40	215	215	75	0,70	10
ANT 809 I	235	170	80	0,50	210	370	65	0,80	10
ANT 907 O	540	800	82	1,30	550	810	90	1,50	5
BD 25	114	193	82	0,34	125	238	97	0,45	10
BD 33	159	192	109	0,33	135	213	115	0,45	6
BD 35	138	194	84	0,47	146	207	91	0,57	8
BD 50	138	220	90	0,53	147	235	98	0,64	8
BK 05	215	284	255	1,61	242	312	247	2	4
BK 24	265	455	372	2,66	302	428	402	3	1
BK 42	290	610	412	3,40	450	520	330	3,90	1
BT 003 W	72	145	25	0,12	113	224	40	0,22	40
BT 100	218	95	73	0,50	218	95	73	0,70	12
CD 110 USB	188	57	187	1,60	278	95	228	2,10	10
CD 150	188	57	127	0,54	247	100	210	2,10	6
CD 190 BT	188	57	127	0,54	247	100	210	2,10	6
CD 200 U	188	57	187	1,60	278	95	228	2,10	5
CD 777 USB	240	110	200	1,36	284	139	239	1,50	2
CDR 699	208	122	208	1,17	237	146	233	1,45	8
CDR 699 USB	208	122	208	1,17	237	146	233	1,45	8
CS 1000	×	×	×	0,16	225	145	40	0,18	40
CS 2000	×	×	×	0,35	225	160	60	0,36	24
DH 009	136	147	27	0,50	172	188	66	0,53	20
DH 010	154	104	45	0,45	192	145	85	0,48	20
DPF 7010 W	203	142	25	0,30	335	200	55	0,62	10
DPF 8010 W	220	176	15	0,40	355	240	55	1,10	10
DVP 7708 RED	210	165	43	0,80	260	82	238	8,60	6
DVP 7709 WHITE	210	165	43	0,75	260	80	238	8,40	6
DVP 9709 BLACK	240	173	42	0,95	288	80	282	9,50	6
DVT 1350 HD PVR	180	38	120	1,50	215	52	156	1,70	20
DVT 860	125	28	100	0,15	150	55	155	1	40
DVT 960 PVR	169	29	80	1,80	215	52	115	2	20
DVT 970 HD PVR	168	28	80	1	215	52	114	1,25	20
EDB 6014 QA+	596	820	550	40	661	861	644	42	1
EDB 6019 QA+	596	820	550	43	661	861	644	45	1
EDF 4515 QA+	450	850	580	37	485	885	620	41,10	1
EDF 6015 QA+	600	850	580	43	635	885	620	47,70	1
EDF 6016 WA+	600	850	600	43	642	885	637	48	1

Model no.	Width (mm)	Height (mm)	Depth (mm)	Netto weight (kg)	Giftbox width (mm)	Giftbox height (mm)	Giftbox depth (mm)	Brutto weight (kg)	Package
EDS 6025 QA+	595	820	570	37	635	885	620	43	1
EFR 6041 X	598	175	307	7,50	660	230	370	8,60	1
EFT 10852 WA+	495	845	540	31	540	871	576	34	1
EFT 6025 X	598	140	495	6,20	640	180	540	8,10	1
EFT 6032 W	598	140	495	6,15	640	540	180	7,12	1
EHC 6004	590	520	50	9	703	645	145	10,70	1
EHC 6404 D	590	520	50	9	703	645	145	10,70	1
EHI 7004	590	520	56	10,20	690	645	115	12,20	1
EK 155	354	287	246	4,50	400	295	290	5,10	2
EOD 65028 S	595	595	575	29,80	648	668	688	33,60	1
EOM 4003 X	595	595	573	34	648	668	688	37,90	1
EOT 7001 X	595	595	573	38	648	668	688	41,80	1
ERB 21810 WA+	540	1810	600	59,50	580	1850	630	62,50	1
ERB 21811 SS+	540	1810	600	59,50	580	1850	630	62,50	1
ERD 21401 WA+	540	1400	600	46,50	580	1450	630	49	1
ERM 10470 WA+	470	492	450	21	520	520	465	23	1
ERT 10850 WA+	480	840	560	25,76	519	878	587	29,04	1
ERT 10853 WA++	553	845	574	31	580	885	600	33,50	1
ES 150 Quick&Fresh	180	260	280	1,75	225	245	195	2,75	6
ET 3324	380	335	510	7,31	428	392	566	12,20	1
EV 1501	280	82	240	2,19	300	88	265	2,33	6
EV 2502	450	80	270	3,68	485	97	285	3,88	4
EWf 1051 MA+	597	845	497	64,50	641	881	547	67,50	1
EWf 1271 LA++	597	845	527	68,50	641	881	577	71,50	1
EWf 1471 LA+++	597	845	527	68,50	641	881	577	71,50	1
EWS 1052 MA+	597	845	416	60,50	641	881	467	63	1
FS 40	400	524	126	2,60	465	525	120	3	3
FS 40 N	450	1350	400	7,92	470	605	120	8,84	1
FT 23	230	450	240	1,35	275	300	188	1,88	4
FT 30	300	360	192	2,05	355	490	250	2,51	4
HK 115	409	55	55	0,70	360	280	74	1,01	10
HK 120	375	62	62	0,40	358	174	70	0,60	10
IV 18	295	64	360	2,68	330	85	395	4,28	4
IV 29 2in1	310	70,5	600	4,85	360	95	640	6,25	2
KG 200	364	141	319	3,70	400	176	375	3,90	2
KH 1420	113	30	237	0,17	360	430	475	16	80
KH 1430	113	67	237	0,23	280	43	475	11	40
KH 1520	170	56	220	0,18	400	360	390	5,50	20
KH 1530	220	50	260	0,25	280	465	680	7	20
KP 3015	18,50	5,50	9	0,26	18,50	5,50	9	0,26	80
KP 3015 V	21	5,50	9	0,27	21	5,50	9	0,27	60
KP 3030	19	6	10	0,38	19	6	10	0,38	60
KP 3030 V	21,50	6	10	0,39	21,50	6	10	0,39	60
KP 5030	28	5	9	0,41	28	5	9	0,41	40
KP 5030 V	30	5	9	0,44	30	5	9	0,44	40
KP 5050	28	5,50	9,50	0,57	28	5,50	9,50	0,57	30
KP 5050 V	30	5,50	9,50	0,60	30	5,50	9,50	0,60	30
KR 454	339	300	185	4	390	328	228	4,50	2
KR 814	223	237	397	6,40	260	440	440	7,90	2

Model no.	Width (mm)	Height (mm)	Depth (mm)	Netto weight (kg)	Giftbox width (mm)	Giftbox height (mm)	Giftbox depth (mm)	Brutto weight (kg)	Package
KT 10	200	275	145	2	210	295	164	2,40	6
KV 117 SLIM	140	14	194	0,33	170	28	225	0,86	12
KV 118	175	55	220	0,40	180	65	225	0,50	12
KV 119	140	210	146	0,29	166	240	176	0,42	12
KV 130	170	31	235	0,67	198	51	235	1,47	12
LD 1326 F	150	125	16	0,40	159	131	20	0,60	20
LD 1332 F	253	222	16	1,50	236	238	22	1,70	10
LD 1332 K	76	198	90-350	1,53	195	300	90	1,76	10
LD 1333 K	76	198	90-220	1,43	195	245	85	1,64	10
LD 1334 K	76	198	90-350	1,53	195	300	90	1,76	10
LD 2640 F	660	420	23	2,10	693	189	54	2,70	4
LD 2642 AOF	105	445	430	1,30	166	472	62	1,60	8
MH 008	218	95	53	0,30	218	95	53	0,40	16
MH 158	350	240	340	3,80	370	265	370	5,30	4
MH 168 Fir4life	310	455	235	4,60	337	493	285	6,30	1
MK 092	300	756	352	22	355	882	460	26	1
MN 103	425	212	368	2,70	371	425	220	3,70	4
MN 104	424	196	367	1,70	426	200	368,30	2,50	4
MP 2030	129	36	52	0,30	170	95	60	0,40	40
MS 001 W	53	113	22	0,07	80	125	75	0,17	48
MS 002	96	104	45	0,13	120	160	55	0,24	40
MS 004 L	170	120	60	0,31	180	135	90	0,46	20
MS 005 O	170	190	110	0,39	180	265	65	0,82	16
MS 007 B/O	132	141	22	0,20	140	150	75	0,46	20
MTD 170 B	452	262	330	10,50	496	292	354	11,30	1
MTD 2002	452	262	333	10,50	495	292	354	11,30	1
MTD 205 SS	452	262	391	12	496	292	415	13,10	1
MTD 206 VSS	461	280	359	13,40	650	445	404	14,50	1
MTD 231 S	486	292	410	12,70	536	330	436	14,55	1
MTM 2003 W	440	258	357	10	488	291	380	10,90	1
NZ 200	280	150	121	1,21	305	155	125	1,33	10
NZ 212	242	132	105	0,74	265	135	113	0,86	10
NZ 221	275	146	122	1,20	305	161	129	1,50	10
NZ 260	298	157	121	1,30	315	160	128	1,43	10
NZ 268	292	131	123	1,30	320	140	170	1,45	10
NZ 271 V	300	155	116	1,10	310	130	164	1,40	10
OR 507	340	600	230	7,50	440	615	142	8,30	1
OR 509	415	600	230	9,50	520	615	140	11	1
OV 120 SLIM	312	21	300	1,70	352	44	330	1,87	5
OV 122 solar	312	21	300	1,64	337	43	337	1,81	5
OV 123	302	17	302	1,46	338	34	324	1,61	5
PCB 538	438	275	271	6,50	475	310	292	7,70	2
R 200	211	146	76	0,74	225	161	92	0,72	20
R 300	230	156	77	0,79	245	175	75	0,88	10
RG 520	510	100	250	4,90	560	155	290	6	2
RK 0510	117	160	91	0,58	164	174	110	0,66	8
RK 1040	207	210	145	0,90	220	205	157	1,40	12
RK 1210	217	197	160	0,73	195	190	165	0,85	12
RK 1350 KE	200	220	145	0,70	200	213	155	0,90	12

Model no.	Width (mm)	Height (mm)	Depth (mm)	Netto weight (kg)	Giftbox width (mm)	Giftbox height (mm)	Giftbox depth (mm)	Brutto weight (kg)	Package
RK 1725	210	242	165	0,95	215	230	170	1,10	8
RK 1740 KE	200	240	150	1	220	230	180	1,20	8
RK 1745	217	240	165	0,78	220	230	170	0,96	12
RK 1845	230	250	160	0,75	185	232	185	0,89	12
RK 1855 ST	250	230	150	1,21	262	219	188	1,41	6
RK 1865 ST	215	250	163	0,99	215	240	162	1,14	6
RK 2010 OT	213	234	164	1,03	215	247	170	1,23	12
RM 990	65	350	65	0,66	113	195	73	0,75	6
RM 993 set	45	380	45	1,33	235	250	135	1,54	6
RM 994	60	390	60	0,90	400	102	100	1,02	12
RM 995 set	60	390	60	1,35	250	235	135	1,57	8
RS 836	200	170	82	0,50	215	186	95	1	6
RSM 01	280	365	150	2	228	254	310	2,50	6
RZ 10	239	193	239	1,60	241	198	241	1,78	4
S 069	250	110	245	0,70	265	120	260	1	8
S 089	230	83	209	1,18	255	122	232	1,37	8
S 099 3in1	245	85	235	1,20	273	153	259	1,35	4
S 169	232	96	221	1,27	244	110	247	1,47	10
S 179	245	107	233	1,26	255	120	258	1,30	10
S 199 Quattro	267	110	318	2,05	290	130	348	2,24	4
SG 160	550	140	250	7	623	201	348	7,65	2
SO 375	328	270	328	2,45	335	255	335	3	4
SP 366	153	230	153	1,30	180	260	180	1,60	6
ST 818	270	162	170	1,50	320	200	210	1,80	6
ST 968	260	185	165	1,10	296	198	178	1,70	6
TK 2010 T	590	335	95	3,23	665	370	122	3,63	1
TK 2010 TC	590	335	95	3,30	665	370	122	3,70	1
TK 2020	565	420	197	3	625	440	140	3,60	1
TV 25	215	260	200	1,20	230	285	205	1,40	6
TVP 7920 DVB-T	200	120	22	0,40	248	225	66	0,50	4
TVP 9040 HD PVR	262	155	33	0,72	307	192	117	1,40	6
VP 3161 S	270	230	380	5,50	320	273	460	6,50	1
VP 912	288	230	430	5,50	315	290	510	6,63	1
VP 915	280	370	255	4	310	450	320	5,80	1
VR 935	123	457	116	1,60	165	476	159	1,90	6
VV 112	223	268	95	0,60	228	275	98	0,70	10
XENON C 111	420	190	150	1,70	360	210	354	2,70	1
XENON C 122	187	140	157	1,40	378	348	227	3,20	1
XENON C 222	219	150	205	1,35	412	338	286	1,35	1
XENON D 1010 HD	221	165	240	6,60	615	290	315	7,20	1
XENON D 556	180	230	117	3,50	435	330	198	4,40	1
ZV 68	250	90	45	0,40	350	100	55	0,70	24
ZV 78	270	40	30	0,40	340	100	50	0,48	24
ZZ 35	185	325	190	1,80	245	366	254	2,10	3





